Journal of Applied Microbiology

Edited by
D.E.S. Stewart-Tull, I. M. Feavers, G. R. Gibson
and L. Anne Glover

Volume 84, 1998

Copyright © 1998 by The Society for Applied Microbiology

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the Society

ISSN 1364-5072

Published by
Blackwell Science Ltd
OXFORD LONDON EDINBURGH BOSTON
MELBOURNE BERLIN VIENNA

Printed in Great Britain

Contents

Volume 84, Number 1, January 1998

1 Instructions to authors

5 A REVIEW: Phylogeny and taxonomy of the food-borne pathogen *Clostridium botulinum* and its neurotoxins *M. D. Collins & A. K. East*

18 Acetoin production as an indicator of growth and metabolic inhibition of *Listeria monocytogenes T. L. Romick & H. P. Fleming*

25 Ecological determinants for germination and growth of some *Aspergillus* and *Penicillium* spp. from maize grain *S. Marín, V. Sanchis, R. Sáenz, A. J. Ramos, I. Vinas & N. Magan*

37 The development of random DNA probes specific for *Aeromonas salmonicida H. J. Oakey, J. T. Ellis & L. F. Gibson*

47 The acetylcholinesterase ichthyotoxin is a common component in the extracellular products of Vibrionaceae strains *M. J. Pérez, L. A. Rodríguez & T. P. Nieto*

53 Biguanide-induced changes in *Acanthamoeba castellanii*: an electron microscopic study *W. Khunkitti, A. C. Hann, D. Lloyd, J. R. Furr & A. D. Russell*

63 *Myxococcus xanthus* biomass as biosorbent for lead *M. L. Merroun, N. Ben Omar, M. T. González-Muñoz & J. M. Arias*

68 Effect of probiotic CenBiot on the control of diarrhoea and feed efficiency in pigs *J. L. Zani, F. Weykamp da Cruz, A. Freitas dos Santos & C. Gil-Turnes*

72 *Lactobacillus helveticus* heterogeneity in natural cheese starters: the diversity in phenotypic characteristics *M. G. Fortina, G. Nicastro, D. Carminati, E. Neviani & P. L. Manachini*

81 Metabolic properties, stress tolerance and macromolecular profiles of rhizobia nodulating *Hedysarum coronarium P. Struffi, V. Corich, A. Giacomini, A. Benguedouar, A. Squartini, S. Casella & M. P. Nuti*

90 Cell membrane integrity and lysis in *Lactococcus lactis*: the detection of a population of permeable cells in post-logarithmic phase cultures *G. W. Niven & F. Mulholland*

97 Cultural conditions for the production of bacteriocin by a native isolate of *Lactobacillus delbruecki* ssp. *bulgaricus* CFR 2028 in milk medium *B. V. Balasubramanyam & M. C. Varadaraj*

103 Pulsed-field electrophoretic fingerprinting of *Salmonella indiana* and its epidemiological applicability *P. Punia, M. D. Hampton, A. M. Ridley, L. R. Ward, B. Rowe & E. J. Threlfall*

108 Enzymes involved in carbohydrate metabolism and their role on exopolysaccharide production in *Streptococcus thermophilus A. Escalante, C. Wacher-Rodarte, M. García-Garibay & A. Farrés*

115 Phenotypic diversity of *Xanthomonas* sp. *mangiferaeindicae O. Pruvost, A. Couteau, X. Perrier & J. Luisetti*

125 Selection of lactobacilli for chicken probiotic adjuncts *M. Garriga, M. Pascual, J. M. Monfort & M. Hugas*

133 A high prevalence of *Clostridium botulinum* type E in Finnish freshwater and Baltic Sea sediment samples *S. Hielm, E. Hyytiä, A.-B. Andersin & H. Korkeala*

138 Inactivation of *Salmonella typhi* by high levels of volatile fatty acids during anaerobic digestion *D. P. Kunte, T. Y. Yeole, S. A. Chiplonkar & D. R. Ranade*

Volume 84, Number 2, February 1998

143 Histidine carboxylase of *Leuconostoc œnos* 9204: purification, kinetic properties, cloning and nucleotide sequence of the *hdc* gene *E. Coton, G. C. Rollan & A. Lonvaud-Funel*

152 The effect of essential oils of basil on the growth of *Aeromonas hydrophila* and *Pseudomonas fluorescens J. Wan, A. Wilcock & M. J. Coventry*

159 Modelling the growth and bacteriocin production by *Lactobacillus amylovorus* DCE 471 in batch cultivation *R. Lejeune, R. Callewaert, K. Crabbé & L. De Vuyst*

169 Establishment and impact of *Pseudomonas fluorescens* genetically modified for lactose utilization and kanamycin resistance in the rhizosphere of pea *D. C. Naseby & J. M. Lynch*

176 Immunodot detection of nisin Z in milk and whey using enhanced chemiluminescence *M. Bouksaim, I. Fliss, J. Meghrous, R. Simard & C. Lacroix*

185 Mathematical modelling of the heat resistance of *Listeria monocytogenes J. C. Augustin, V. Carlier & J. Rozier*

192 Ecophysiological responses of the biocontrol yeast *Candida sake* to water, temperature and pH stress *N. Teixidó, I. Vinas, J. Usall, V. Sanchis & N. Magan*

201 Regulation of maltose metabolism in stationary phase cultures of an asporogenous mutant of *Bacillus licheniformis M. Tangney, A. B. Fleming, P. L. Jorgensen & F. G. Priest*

207 QSARs for the effect of benzaldehydes on foodborne bacteria and the role of sulfhydryl groups as targets of their antibacterial activity *M. E. Ramos-Nino, C. A. Ramirez-Rodriguez, M. N. Clifford & M. R. Adams*

213 Sensitivity of food pathogens to garlic (*Allium sativum*) *M. Kumar & J. S. Berwal*

216 Phenotypic and genetic diversity of *Paenibacillus azotofixans* strains isolated from the rhizoplane or rhizosphere soil of different grasses *A. S. Rosado, F. S. de Azevedo, D. W. da Cruz, J. D. van Elsas & L. Seldin*

227 Colonization of *Vibrio pelagius* and *Aeromonas caviae* in early developing turbot (*Scophthalmus maximus* L.) larvae *E. Ringo & O. Vadstein*

234 Heat resistance of *Listeria monocytogenes* in dairy products as affected by the growth medium *M. A. Casadei, R. Esteves de Matos, S. T. Harrison & J. E. Gaze*

240 Metal removal by sulphate-reducing bacteria from natural and constructed wetlands *J. S. Webb, S. McGinness & H. M. Lappin-Scott*

249 An adhesion-defective mutant of *Ruminococcus albus* SY3 is impaired in its capability to degrade cellulose *J. Miron, E. Morag, E. A. Bayer, R. Lamed & D. Ben-Ghedalia*

255 Polymorphism of *Listeria monocytogenes* and *Listeria innocua* strains isolated from short-ripened cheeses *A. Margolles, B. Mayo & C. G. de los Reyes-Gavilán*

263 Biocidal activity in plant pathogenic *Acidovorax, Burkholderia, Herbaspirillum, Ralstonia* and *Xanthomonas* spp. *F.-P. Hu & J. M. Young*

272 Numerical taxonomy of *Skermania piniformis* and related isolates from activated sludge *J. A. Soddell & R. J. Seviour*

285 Detection of pathogenic *Yersinia enterocolitica* using a digoxigenin labelled probe targeting the *yst* gene *M. D. Durisin, A. Ibrahim & M. W. Griffiths*

293 Heterogeneity of plant-associated streptococci as characterized by phenotypic features and restriction analysis of PCR-amplified 16S rDNA *A. Ulrich & T. Müller*

304 Degradation of fructans by epiphytic and inoculant lactic acid bacteria during ensilage of grass *A. L. Winters, R. J. Merry, M. Müller, D. R. Davies, G. Pahlow & T. Müller*

Volume 84, Number 3, March 1998

313 Editorial *D.E. Stewart-Tull*

315 A REVIEW: Arginine metabolism in wine lactic acid bacteria and its practical significance *S.-Q. Liu & G.J. Pilone*

328 An effective method for isolating alginate lyase-producing *Bacillus* sp. ATB-1015 strain and purification and characterization of the lyase *A. Nakagawa, T. Ozaki, K. Chubachi, T. Hosoyama, T. Okubo, S. Iyobe & T. Suzuki*

336 Stability in by-product formation as a strain selection tool of *Saccharomyces cerevisiae* wine yeasts *P. Romano, M. Paraggio & L. Turbanti*

342 Spectrophotometric quantification of lactic bacteria in alginate and control of cell release with chitosan coating *Y. Zhou, E. Martins, A. Groboillot, C.P. Champagne & R.J. Neufeld*

349 The incidence of *Weeksella*- and *Bergeyella*-like bacteria in the food environment *W.C. Botha, P.J. Jooste & C.J. Hugo*

357 Isolation and characterization of an active mannanase-producing anaerobic bacterium, *Clostridium tertium* KT-5A, from lotus soil *N. Kataoka & Y. Tokiwa*

368 Evaluation of the preservative properties of *Thymus vulgaris* essential oil in topically applied formulations under a challenge test *I. Manou, L. Bouillard, M.J. Devleeschouwer & A.O. Barel*

377 Variation in proteinase activities in the rumen *M.L. Falconer & R.J. Wallace*

383 Incidence of mesophilic *Aeromonas* within a public drinking water supply in north-east Scotland *A.A. Gavriel, J.P.B. Landre & A.J. Lamb*

393 Characterization of acetylcholinesterase from *Arthrobacter ilicis* associated with the marine sponge (*Spirastrella* sp.) *B.R. Mohapatra & M. Bapuji*

399 Development of a new culture medium for the rapid detection of *Salmonella* by indirect conductance measurements *D. Blivet, G. Salvat, F. Humbert & P. Colin*

404 The effect of temperature and *Lactobacillus amylovorus* and *Lact. plantarum*, applied at ensiling, on wheat silage *Z.G. Weinberg, G. Szakacs & Y. Hen*

409 Microbiological profile and potential hazards associated with imported and local brands of tomato paste in Nigeria *B.J.O. Efiuvwevwere & O.I.E. Atirike*

417 Plasmid profile and antibiotic resistance in coagulase-negative staphylococci isolated from polluted water *G. Kessie, M. Ettayebi, A.M. Haddad, A.M. Shibl, F.J. Al-Shammary, A.F. Tawfik & M.N. Al-Ahdal*

423 Identification of *Aeromonas* strains of different origin to the genomic species level *A. Kaznowski*

431 Survival, transport and dissemination of *Escherichia coli* and enterococci in a fissured environment. Study of a flood in a karstic aquifer *J.C. Personné, F. Poty, L. Vaute & C. Drogue*

439 Growth-inhibitory effects of Galla Rhois-derived tannins on intestinal bacteria *Y.-J. Ahn, C.-O. Lee, J.H. Kweon, J.-W. Ahn & J.-H. Park*

444 Development of a miniaturized selective counting strategy of lactic acid bacteria for evaluation of mixed starter in a model cassava fermentation *E. Giraud, A. Champailler, S. Moulard & M. Raimbault*

451 Ecophysiological characterization of common food-borne fungi in relation to pH and water activity under various atmospheric compositions *I. Haasum & P.V. Nielsen*

461 *Note*: Antioxidant properties of lipid fractions from *Deinococcus radiophilus* strain UWO1055 *E. Shimoni, R. Armon & I. Neeman*

Volume 84, Number 4, April 1998

467 A REVIEW: Development of a risk assessment for BSE in the aquatic environment—a review *P. Gale, C. Young, G. Stanfield & D. Oakes*

478 Radiation inactivation of some food-borne pathogens in fish as influenced by fat levels *A. Kamat & P. Thomas*

485 Characterization of axenic *Pseudomonas fragi* and *Escherichia coli* biofilms that inhibit corrosion of SAE 1018 steel *A. Jayaraman, A.K. Sun, J.C. Earthman & T.K. Wood*

493 Distribution of *Synechococcus* spp. determined by immunofluorescent assay *M.L.C. Acosta Pomar, G. Caruso, T.L. Maugeri, R. Scarfo & R. Zaccone*

501 Delta-endotoxin proteins associated with spherical parasporal inclusions of the four Lepidoptera-specific *Bacillus thuringiensis* strains *N. Wasano, K.-H. Kim & M. Ohba*

509 The removal of bacterial biofilm from water-filled tubes using axially propagated ultrasound *I.E.C. Mott, D.J. Stickler, W.T. Coakley & T.R. Bott*

515 Effect of glucose on glycerol metabolism by *Clostridium butyricum* DSM 5431 *S. Abbad-Andaloussi, J. Amine, P. Gerard & H. Petitdemange*

523 The microstructure and distribution of micro-organisms within mature Serra cheese *M.L. Parker, P.A. Gunning, A.C. Macedo, F.X. Malcata & T.F. Brocklehurst*

531 Sensitivity to oxidative damage of two *Deinococcus radiodurans* strains *A.M. Melin, E. Peuchant, A. Perromat & M. Clerc*

538 A new method for determining the minimum inhibitory concentration of essential oils *C.M. Mann & J.L. Markham*

545 Rapid identification of diverse *Campylobacter lari* strains isolated from mussels and oysters using a reverse hybridization line probe assay *L.-J. Van Doorn, A. Verschuuren-van Haperen, A. van Belkum, H.P. Endtz, J.S. Vliegenthart, P. Vandamme & W.G.V. Quint*

551 The effects of pesticides on the diversity of culturable soil bacteria *P.S. Nicholson & P.R. Hirsch*

559 The survival and growth of acid-adapted mesophilic pathogens that contaminate meat after lactic acid decontamination *P. Van Netten, A. Valentijn, D.A.A. Mossel & J. Huis in't Veld*

568 Purification and characterization of thermophilin T, a novel bacteriocin produced by *Streptococcus thermophilus* ACA-DC 0040 *A. Aktypis, G. Kalantzopoulos, J.H.J. Huis in't Veld & B. ten Brink*

577 Improved detection of bacteria by flow cytometry using a combination of antibody and viability markers *R.G. Clarke & A.C. Pinder*

585 Development and use of a multiplex PCR system for the rapid screening of heat labile toxin I, heat stable toxin II, shiga-like toxin I and II genes of *Escherichia coli* in water *H.-Y. Tsen & L.-Z. Jian*

593 Characterization of natural isolate *Lactobacillus acidophilus* BGRA43 useful for acidophilus milk production *A. Banina, M. Vukasinovic, S. Brankovic, D. Fira, M. Kojic & L. Topisirovic*

600 Characterization of *Lactobacillus sake* isolates from dry-cured sausages by restriction fragment length polymorphism analysis of the 16S rRNA gene *Y. Sanz, M. Hernández, M.A. Ferrús & J. Hernández*

607 Bacterial-fungal biofilms in flowing water photo-processing tanks *K.T. Elvers, K. Leeming, C.P. Moore & H.M. Lappin-Scott*

619 Interfering mechanism of sodium bicarbonate on spore germination of *Bacillus stearothermophilus H.Y. Cheung, C.W. So & S.Q. Sun*

627 Water quality in rural Australia *R. Thurman, B. Faulkner, D. Veal, G. Cramer & M. Meiklejohn*

633 The kinetics of *Bacillus subtilis* spore inactivation on filter paper by u.v. light and u.v. light in combination with hydrogen peroxide *D.W.M. Gardner & G. Shama*

642 Sensitivity to commercial disinfectants, and the occurrence of plasmids within various *Listeria monocytogenes* genotypes isolated from poultry products and the poultry processing environment *A.M. Earnshaw & L.M. Lawrence*

649 Evaluation of the extent and type of bacterial contamination at different stages of processing of cooked ham *J. Samelis, A. Kakouri, K.G. Georgiadou & J. Metaxopoulos*

661 Specific assays for bacteria using phage mediated release of adenylate kinase *R. Blasco, M.J. Murphy, M.F. Sanders & D.J. Squirrell*

667 Airborne movement of anthrax spores from carcass sites in the Etosha National Park, Namibia *P.C.B. Turnbull, P.M. Lindeque, J. Le Roux, A.M. Bennett & S.R. Parks*

677 Heat shock and thermotolerance of *Escherichia coli* O157:H7 in a model beef gravy system and ground beef *V.K. Juneja, P.G. Klein & B.S. Marmer*

Volume 84, Number 5, May 1998

685 A REVIEW: Enteroaggregative *Escherichia coli D. Law & H. Chart*

698 *Lactobacillus kunkeei* sp. nov.: a spoilage organism associated with grape juice fermentations *C.G. Edwards, K.M. Haag, M.D. Collins, R.A. Hutson & Y.C. Huang*

703 Frequency of occurrence of *Campylobacter* spp. in red meats and poultry in Northern Ireland and their subsequent sub-typing using polymerase chain reaction-restriction fragment length polymorphism and the random amplified polymorphic DNA method *R.H. Madden, L. Moran & P. Scates*

709 Evaluation of the immunospecificity of the porin Om1 of *Vibrio anguillarum* serotype O1 *M. Simón, J. Jofre & A.R. Blanch*

715 Bacteriocin inhibition of two glucose transport systems in *Listeria monocytogenes B.L. Waite, G.R. Siragusa & R.W. Hutkins*

722 An evaluation of lectin-mediated magnetic bead cell sorting for the targeted separation of enteric bacteria *J. Porter, J. Robinson, R. Pickup & C. Edwards*

733 The isolation and prevalence of campylobacters from dairy cattle using a variety of methods *H.I. Atabay & J.E.L. Corry*

741 The expression of the protective antigen of *Bacillus anthracis* in *Bacillus subtilis L. Baillie, A. Moir & R. Manchee*

747 Virulence factors and pathogenicity of *Vibrio vulnificus* isolated from seafood *M.L. Garcia Moreno & M. Landgraf*

752 Intracellular distribution of amino acids in an *slp 1* vacuole-deficient mutant of the yeast *Saccharomyces cerevisiae D.P. Gent & J.C. Slaughter*

759 Development and application of an *in vitro* methodology to determine the transit tolerance of potentially probiotic *Lactobacillus* and *Bifidobacterium* species in the upper human gastrointestinal tract *W.P. Charteris, P.M. Kelly, L. Morelli & J.K. Collins*

769 Involvement of a rhamnolipid-producing strain of *Pseudomonas aeruginosa* in the degradation of polycyclic aromatic hydrocarbons by a bacterial community *S. Arino, R. Marchal & J.-P. Vandecasteele*

777 The specific and sensitive detection of bacterial pathogens within 4 h using bacteriophage amplification *G.S.A.B. Stewart, S.A.A. Jassim, S.P. Denyer, P. Newby, K. Linley & V.K. Dhir*

784 Cellular fatty acid composition of rod and coccus forms of *Arthrobacter globiformis*, *A. crystallopoietes* and *A. nicotianae* isolated from the water fern *Azolla R. Caudales, C. Forni & J.M. Wells*

791 *Bacillus* isolates from the spermosphere of peas and dwarf French beans with antifungal activity against *Botrytis cinerea* and *Pythium* species *R. Walker, A.A. Powell & B. Seddon*

802 Sensorial and microbial effects of gaseous ozone on fresh scad *(Trachurus trachurus) M.V. da Silva, P.A. Gibbs & R.M. Kirby*

811 Karyotyping of *Saccharomyces* strains with different temperature profiles *P. Giudici, C. Caggia, A. Pulvirenti & S. Rainieri*

820 Chilling invokes different morphologies in two *Salmonella enteritidis* PT4 strains *L.E. Phillips, T.J. Humphrey & H.M. Lappin-Scott*

827 Bacterial biofilm on contact lenses and lens storage cases in wearers with microbial keratitis *L. McLaughlin-Borlace, F. Stapleton, M. Matheson & J.K.G. Dart*

839 Evaluation of the lipolytic activity of starter cultures for meat fermentation purposes *P.M. Kenneally, R.G. Leuschner & E.K. Arendt*

847 Influence of dietary acetylated peptides on fermentation and peptidase activities in the sheep rumen *M.W. Witt, C.J. Newbold & R.J. Wallace*

852 Changes in the biocide susceptibility of *Staphylococcus epidermidis* and *Escherichia coli* cells associated with rapid attachment to plastic surfaces *J.R. Das, M. Bhakoo, M.V. Jones & P. Gilbert*

859 Change in bacterial community during biodegradation of aniline *K. Tani, M. Masuhara, N. Welikala, N. Yamaguchi & M. Nasu*

865 Selective effects of sulfur dioxide and yeast starter culture addition on indigenous yeast populations and sensory characteristics of wine *T. Henick-Kling, W. Edinger, P. Daniel & P. Monk*

877 Typing of *Salmonella enteritidis* of different phage types by PCR fingerprinting *N. López-Molina, I. Laconcha, A. Rementeria, A. Audicana, I. Perales & J. Garaizar*

883 Characterization of mosquito larvicidal parasporal inclusions of a *Bacillus thuringiensis* serovar *higo* strain *H. Saitoh, K. Higuchi, E. Mizuki, S.-H. Hwang & M. Ohba*

889 Iron deficiency-induced tetracycline production in submerged cultures by *Streptomyces aureofaciens M. Béchet & R. Blondeau*

895 Isozyme analysis for the identification of *Pseudomonas syringae* pathovar *pisi* strains *L. Malandrin & R. Samson*

903 Effect of oxygen concentration and redox potential on recovery of sublethally heat-damaged cells of *Escherichia coli* O157:H7, *Salmonella enteritidis* and *Listeria monocytogenes S.M. George, L.C.C. Richardson, I.E. Pol & M.W. Peck*

910 *Note*: Purification and characterization of the bacteriocin PsVP-10 produced by *Pseudomonas* sp. *E. Hubert, O. Lobos, P. Brevis & C. Padilla*

914 *Note*: Sucrose transport and metabolism in *Clostridium beijerinckii* NCIMB 8052 *M. Tangney, C. Rousse, M. Yazdanian & W.J. Mitchell*

Volume 84, Number 6, June 1998

921 A REVIEW: Microbial flora of rum fermentation media *L. Fahrasmane & B. Ganou-Parfait*

929 Corrosion-enhancing potential of *Shewanella putrefaciens* isolated from industrial cooling waters *Z. Dawood & V.S. Brözel*

937 Ecomycins, unique antimycotics from *Pseudomonas viridiflava C.M. Miller, R.V. Miller, D. Garton-Kenny, B. Redgrave, J. Sears, M.M. Condron, D.B. Teplow & G.A. Strobel*

945 The study of *Salmonella enteritidis* growth kinetics using Rapid Automated Bacterial Impedance Technique *K. Fehlhaber & G. Krüger*

950 A relatively small change in sodium chloride concentration has a strong effect on adhesion of ocular bacteria to contact lenses *B.A. Cowell, M.D.P. Willcox & R.P. Schneider*

959 Isolation and partial characterization of antifungal metabolites of *Bacillus pumilus C. Munimbazi & L.B. Bullerman*

969 Common DNA sequences with potential for detection of genetically manipulated organisms in food *C.A. MacCormick, H.G. Griffin, H.M. Underwood & M.J. Gasson*

981 Modelling the effectiveness of a natural antimicrobial on *Salmonella enteritidis* as a function of concentration, temperature and pH, using conductance measurements *K. Koutsoumanis, C.C. Tassou, P.S. Taoukis & G.-J.E. Nychas*

988 Assessment of bacterial viability status by flow cytometry and single cell sorting. *G. Nebe-von Caron, P. Stephens & R.A. Badley*

999 Identification of atypical *Aeromonas salmonicida*: inter-laboratory evaluation and harmonization of methods *I. Dalsgaard, B.K. Gudmundsdóttir, S. Helgason, S. Hoie, O.F. Thoresen, U.-P. Wichardt & T. Wiklund*

1007 Diversity and prevalence of *Arcobacter* spp. in broiler chickens *H.I. Atabay, J.E.L. Corry & S.L.W. On*

1017 Identification of unusual *Campylobacter*-like isolates from poultry products as *Helicobacter pullorum H.I. Atabay, J.E.L. Corry & S.L.W. On*

1025 Monitoring genetically-modified rhizobia in field soils using the polymerase chain reaction *D.W. Cullen, P.S. Nicholson, T.A. Mendum & P.R. Hirsch*

1035 Clarification of small volume microbial suspensions in an ultrasonic standing wave *M.S. Limaye & W.T. Coakley*

1043 Physiological and molecular techniques for the study of bacterial community development in sausage fermentation *A. Rebecchi, S. Crivori, P.G. Sarra & P.S. Cocconcelli*

1050 Evaluation of the hygienic performances of the processes for beef carcass dressing at 10 packing plants *C.O. Gill, B. Deslandes, K. Rahn, A. Houde & J. Bryant*

1059 Production by and isolation of exopolysaccharides from *Streptococcus thermophilus* grown in a milk medium and evidence for their growth-associated biosynthesis *L. De Vuyst, F. Vanderveken, S. Van de Ven & B. Degeest*

1069 Microbial communities of printing paper machines *O.M. Väisänen, A. Weber, A. Bennasar, F.A. Rainey, H.-J. Busse & M.S. Salkinoja-Salonen*

1085 Identification and discrimination of thiobacilli using ARDREA, RAPD and rep-APD *S. Selenska-Pobell, A. Otto & S. Kutschke*

1092 Surface-catalysed disinfection of thick *Pseudomonas aeruginosa* biofilms *P. Wood, D.E. Caldwell, E. Evans, M. Jones, D.R. Korber, G.M. Wolfhaardt, M. Wilson & P. Gilbert*

1099 Detection of specific bacteriocin-producing lactic acid bacteria by colony hybridization *M.I. Martínez, E. Rodríguez, M. Medina, P.E. Hernández & J.M. Rodríguez*

1104 Characterization of the interaction of bovine plasmin with *Streptococcus uberis R.A. Lincoln & J.A. Leigh*

1111 Seasonal variation of thermophilic campylobacters in lambs at slaughter *K.N. Stanley, J.S. Wallace, J.E. Currie, P.J. Diggle & K. Jones*

1117 Antibacterial properties of extracts from selected planktonic freshwater cyanobacteria - a comparative study of bacterial bioassays *Ø. Østensvik, O.M. Skulberg, B. Underdal & V. Hormazabal*

1125 1,2-Propanediol formation with product-tolerant mutants of *Clostridium butyricum* DSM 5431 in continuous culture: productivity, carbon and electron flow *A. Reimann, S. Abbad-Andaloussi, H. Biebl & H. Petitdemange*

1131 Isolation, purification and partial characterization of plantaricin 423, a bacteriocin produced by *Lactobacillus plantarum C.A. van Reenen, L.M.T. Dicks & M.L. Chikindas*

1138 Solar disinfection of drinking water contained in transparent plastic bottles: characterizing the bacterial inactivation process *K.G. McGuigan, T.M. Joyce, R.M. Conroy, J.B. Gillespie & M. Elmore-Meegan*

1149 *In vitro* studies of the effect of antiseptic-containing mouthwashes on the formation and viability of *Streptococcus sanguis* biofilms *J. Pratten, K. Wills, P. Barnett & M. Wilson*

1156 Identification and analysis of PCB dechlorinating anaerobic enrichments by amplification: accuracy of community structure based on restriction analysis and partial sequencing of 16S rRNA genes *M.G. LaMontagne, G.J. Davenport, L.-H. Hou & S.K. Dutta*

1163 Antibiotic-resistant strains of *Enterococcus* isolated from Swedish and Danish retailed chicken and pork *M. Quednau, S. Ahrné, A.C. Petersson & G. Molin*

1171 *Note*: Lack of influence of adherent *Lactobacillus* isolates on the attachment of *Escherichia coli* to the intestinal epithelial cells of chicken *in vitro L.Z. Jin, Y.W. Ho, N. Abdullah, M.A. Ali & S. Jalaludin*

1175 *Note*: Molecular cloning of chitinase genes from *Vibrio anguillarum* and *V. parahaemolyticus I. Hirono, M. Yamashita & T. Aoki*

1179 Index